DELCZEG INC.

Belmont, CA 94002, Tel: 650-637-9594

Mechanism of Action of the Quantum Amplified

The photosynthesis process in plants stops at 95-F (35 Celsius) and the plant energetic field collapses.

The Quantum Amplifier manages to raise the resistance of the plant to 107.6-F (42 Celsius) and prevents the stoppage of photosynthesis process.

The Quantum Amplifier (QAGF) and its compounds **Gemstones**, **Natural Magnet**, **Natural Aluminum** stimulates and amplifies this photosynthetic process by filtering out the ultraviolet energy spectrum, only the beneficial spectrum for the photosynthesis process and prolongs the survival of the plant.

Life on earth ultimately depends on energy derived from sun. Photosynthesis is the only process of biological importance that can harvest this energy

Photosynthesis means 'synthesis using light'. Photosynthetic organisms use solar energy to synthesize carbon compound that cannot be formed without the input of the energy. QA elements cause more ultra-violet absorption regardless of season changes.



Blueberries in January Northern California




Diagram showing the formation of different organic components from glucose which was formed by the Photosynthesis and the Quantum Amplified Growth Factor Pallets.

Plant photosynthesis is the process of carbon dioxide fixing in the atmosphere by green plants with chlorophyll in the presence of Oxygen and Organic Products.


The solar light comes to earth in the form of small packets of energy known as photons. The energy associated with each photon is called Quantum. Thus requirement of solar light by a plant is measured in terms of number of photons or quanta.

Photons, which are particles (or waves!) of light, are important to plants because light is used for photosynthesis.

The Quantum Amplifier can increase photon volumes from 100 photons per square centimeter of leaf to 200-300 photons per square centimeter of leaf.

The number of photons or quanta required by a plant or leaf to release one molecule of oxygen during photosynthesis is called quantum requirement. It has been observed that in most of the cases the quantum requirement is 8.

By using the Quantum Amplifier on plants it can increase of nearly 20/100 of the plant resistance threshold and release 2 to 3 times more oxygen which can be extremely beneficial effect on the environment and global warming.



200 % to 300% more Oxygen release

Due to global pollution, the plant's vital QI dropped by 50% and also the planet's magnetic field has decreased by 50% in the last century, which led to alarming changes in everything on Earth's surface, including vegetation. The fruits and vegetables treated with QA are not harmful to the human body, because is free of toxins, and it contains 98% pure natural elements.

The QA was invented by a Romanian scientist more than 10 years ago. The magnetism is not created via electricity; it is produced in a natural way, and is non-toxic, enhance vegetation growth, increases the size of fruits and sweetness, repels bugs, and helps plants to survive longer during drought.



Blueberries with QAGF 300% more production.

Blueberries without QADF



Apple with QAGF

Apple without QADF

References: Magnetic field effects on plant growth, development, and evolution

- 1. Abe K., Fujii N., Mogi I., Motokawa M., Takahashi H. (1997). Effect of a high magnetic field on plant. Biol. Sci. Space 11, 240–247
- 2. Ahmad M., Galland P., Ritz T., Wiltschko R., Wiltschko W. (2007). Magnetic intensity effects cryptochrome-dependent responses in *Arabidopsis thaliana*. *Planta* 225,615 62410.1007/s00425

- 3. □ Ahmad M., Cashmore A. R. (1993). Hy4 gene of a. thaliana encodes a protein with characteristics of a blue-light photoreceptor. Nature 366, 162–166 10.1038/366162a0 [PubMed] [Cross Ref]
- 4. □ Ahmad M., Galland P., Ritz T., Wiltschko R., Wiltschko W. (2007). Magnetic intensity affects cryptochrome-dependent responses in *Arabidopsis thaliana*. Planta 225, 615–624 10.1007/s00425-006-0383-0 [PubMed] [Cross Ref]
- □ Ahmad M., Lin C. T., Cashmore A. R. (1995). Mutations throughout an Arabidopsis blue-light photoreceptor impair blue-light-responsive anthocyanin accumulation and inhibition of hypocotyl elongation. Plant J. 8, 653–658 10.1046/j.1365-313X.1995.08050653.x [PubMed] [Cross Ref]
- 6. □ Aksenov S. I., Bulychev A. A., Grunina T. Y., Turovetskii V. B. (2000). Effect of low-frequency magnetic field on esterase activity and pH changes near the wheat germ during imbibition of seeds. Biofizika 45, 737–745 [PubMed]
- 7.
 Aleman E. I., Mbogholi A., Boix Y. F., Gonzalez-Ohnedo J., Chalfun A.
 (2014). Effects of EMFs on some biological parameters in coffee plants (*Coffea arabica* L.) obtained by *in vitro* propagation. Polish J. Environ. Stud. 23, 95–101
- 8. □ Alexander M. P., Ganeshan S. (1990). Electromagnetic field-induced *in vitro* pollen germination and tube growth. Curr. Sci. 59, 276–277
- 9. □ Anand A., Nagarajan S., Verma A., Joshi D., Pathak P., Bhardwaj J. (2012). Pretreatment of seeds with static magnetic field ameliorates soil water stress in seedlings of maize (*Zea mays* L.). Indian J. Biochem. Biophys. 49, 63–70 [PubMed]
- 10. □ Ang L. H., Chattopadhyay S., Wei N., Oyama T., Okada K., Batschauer A., et al. (1998). Molecular interaction between COP1 and HY5 defines a regulatory switch for light control of Arabidopsis development. Mol. Cell 1, 213–222 10.1016/S1097-2765(00)80022-2 [PubMed] [Cross Ref]
- 11. □ Baby S. M., Narayanaswamy G. K., Anand A. (2011). Superoxide radical production and performance index of Photosystem II in leaves from magnetoprimed soybean seeds. Plant Signal. Behav. 6, 1635–1637 10.4161/psb.6.11.17720 [PMC free article] [PubMed] [Cross Ref]
- 12. □ Baum J. W., Nauman C. H. (1984). Influence of strong magnetic fields on genetic endpoints in *Tradescantia tetrads* and stamen hairs. Environ. Mutagen. 6, 49–58 10.1002/em.2860060107[PubMed] [Cross Ref]

For more information email to edelczeg1@hayoo.com